

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	115647	((allocat\$3 assign\$3) with (schema namespace "name sapce" syntax cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:44
L2	196	1 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:45
L3	41	2 & (xml html sgml markup) & (schema namespace "name space")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:46
L4	34	3 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:46
L5	23	4 & (inherit\$3 deriv\$3 heir\$3 (obtain\$3 adj from) originat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:48
L6	23	5 & (video audio text document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:49

L7	33	("20020078032" "20020138517" "20020159519" "20020198905" "20030009472" "20040202246" "5946418" "5946418" "5956718" "6052686" "6292114" "6292114" "6498612" "6507856" "6507856" "6671416" "6671416" "6804677" "6825781" "6978269").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:53
L8	10	7 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:53
L9	13	(US-20050044197-\$ or US- 20030149934-\$ or US- 20050097455-\$ or US- 20030226109-\$ or US- 20060212796-\$ or US- 20040068696-\$ or US- 20030172345-\$ or US- 20020138517-\$ or US- 20070112807-\$ or US- 20040202246-\$ or US- 20030009472-\$ or US- 20020198905-\$).did. or (US- 7114147-\$).did.	US-PGPUB; USPAT	OR	ON	2009/11/05 20:00
L10	8	9 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:01
L11	6	10 & (xml html sgml markup) & (schema namespace "name space")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:01
L12	5	11 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:01
L13	5	12 & (video audio text document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:01

L14	4	13 & (inherit\$3 deriv\$3 heir\$3 (obtain\$3 adj from) originat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:03
L15	14	("20020040475" "20020082998" "20020138517" "20030172345" "5321750" "5987464" "6442549").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:09
L16	5	15 & (inherit\$3 deriv\$3 heir\$3 (obtain\$3 adj from) originat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:10
L17	3	16 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:10
L18	19	6 & (data near type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:20
L19	6	18 & ((allocat\$3 assign\$3) near (namespace "name sapce" schema))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:22
L20	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L21	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L22	30	L21 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L25	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L26	0	L21 & L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L27	27	L25 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L28	16	L27 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L29	16	L27 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L33	3698	L20 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L34	2850	L33 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L35	532	L34 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L36	152	L35 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L39	13	L29 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L41	1890	L20 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L42	1502	L41 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L43	331	L42 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L44	97	L43 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L45	16	L44 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L46	37	L20 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L47	26	L46 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L50	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L51	37	L50 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L52	26	L51 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L53	11	L52 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L56	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L57	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L58	30	L57 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L61	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L62	0	L57 & L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L63	27	L61 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L64	16	L63 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L65	16	L63 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L69	3698	L56 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L70	2850	L69 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L71	532	L70 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L72	152	L71 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L75	13	L65 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L77	1890	L56 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L78	1502	L77 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L79	331	L78 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L80	97	L79 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L81	16	L80 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L82	37	L56 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L83	26	L82 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L86	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L87	37	L86 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L88	26	L87 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L89	11	L88 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L94	0	L92 & (header same inherit\$3 same (schema namespace))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L95	0	L92 & header & inherit\$3 & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L96	0	L92 & header & inherit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L104	5	L99 & (schema namespace (name adj space)) & assign\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L106	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L107	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L108	30	L107 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L111	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L112	0	L107 & L111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L113	27	L111 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L114	16	L113 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L115	16	L113 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L119	3698	L106 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L120	2850	L119 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L121	532	L120 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L122	152	L121 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L125	13	L115 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L127	1890	L106 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L128	1502	L127 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L129	331	L128 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L130	97	L129 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L131	16	L130 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L132	37	L106 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L133	26	L132 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L136	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L137	37	L136 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L138	26	L137 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L139	11	L138 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L142	7795	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L143	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L144	30	L143 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L147	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L148	0	L143 & L147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L149	27	L147 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L150	16	L149 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L151	16	L149 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L155	3698	L142 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L156	2850	L155 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L157	532	L156 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L158	152	L157 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L161	13	L151 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L163	1890	L142 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L164	1502	L163 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L165	331	L164 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L166	97	L165 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

L167	16	L166 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L168	37	L142 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39
L169	26	L168 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:39

11/ 5/ 2009 8:46:18 PM

C:\ Documents and Settings\ qtran3\ My Documents\ EAST\ Workspaces\ 10590791.wsp